



ISUZU

VEHICLE MODEL	Year	ENGINE TYPE	CYL No.	IN EX	DOKURO No.	REFERENCE No.	Head Dia.	Stem Dia.	Overall Length	Seat Angle	Head Style	Stem End
ELF 2200CC LUV 2200CC TROOPER 2400CC FLORIAN	71~	C190 C220 C240	4	IN	IIS-0151	9-12551-802-0/1 8-94026-571-0 8-94130-749-0 9-12551-037-0 9-12551-093-0/2	38.00	8.00	116.00	45°	F	CG
				EX	EIS-5151	9-12552-801-0/1 5-12552-014-0 5-12552-026-0 8-94027-307-0 8-94118-839-0 9-12552-071-0 9-12552-090-0	32.00	8.00	116.00	45°	F	CG
KAD40/50 KBD20/25/41/46 TLD23/43/53/63 UBS52/PAD												
ELF 1600CC LUV BELLET	68~	G161	4	IN	IIS-0153	9-12551-128-0 9-12551-159-0	41.00	8.00	109.80	45°	ST	CG
				EX	EIS-5153	9-12552-175-0 9-12552-215-0	32.00	8.00	109.80	45°	F	CG
KB20/KA51/PR50/91,PA20												
ELF 3300CC JOURNEY 5000CC FORWARD 2800CC	70~	C330 D500	4 6	IN	IIS-0154	9-12551-801-0 1-12551-050-0 1-12551-054-0	45.00	9.00	127.80	45°	F	CG
3600CC 3200CC 3200CC 3800CC 5400CC 5700CC 6100CC	73~ 73~ 79~ 79~ 80~ 72~ 76~ 80~	4 BA 1 4 BB 1 4 BC 1 4 BC 2 4 BD 1 4 BE 1 6 BB 1 6 BD 1 6 BF 1				5-12551-006-0 5-12551-024-0 8-94129-550-0 8-97028-702-0						
BE20/22,BK/BL BLD/BY/CCM FDR/JBR/KA20 KS/KT/SBR/SCR/SDR TLD/TR/TVD						9-12552-240-0 1-12552-025-0 5-12552-005-0 5-12552-025-0 5-12552-030-0 5-12552-031-0	37.50	9.00	127.80	45°	F	CG
EX						EIS-5154 (WITH CARBON SCRAPER)	37.50	9.00	127.80	45°	F	CG
LUV 1800CC FLORIAN GEMINI	72~	G180 G200	4	IN	IIS-0155	9-12551-606-0 9-12551-174-0	43.00	8.00	107.50	45°	ST	CG
				EX	EIS-5155	9-12552-607-0 9-12552-601-0	33.00	8.00	107.50	45°	ST	CG



ISUZU

VEHICLE MODEL	Year	ENGINE TYPE	CYL No.	IN EX	DOKURO No.	REFERENCE No.	Head Dia.	Stem Dia.	Overall Length	Seat Angle	Head Style	Stem End
BELLET 1600CC LUV/TROOPER 1800CC IMPUL/PIAZZA 2000CC 117COUPE	66~	G161	4	IN	IIS-0156	8-94205-977-0	42.40	8.00	109.50	45°	ST	NG
	69~			G180		EX						
	80~	G200			EX	EIS-5156	8-94200-743-0	34.00	8.00	110.90	45°	ST
							8-94200-745-0					
						8-94212-835-0						
BELLET 1600CC	63~	G130 G150 G161	4	IN	IIS-0157	5-12551-005-0	38.00	8.00	109.80	45°	F	CG
				EX		EIS-5157						
						9-12552-098-0	30.00	8.00	108.50	45°	F	CG
						9-12552-128-0						
						9-12552-129-0						
TRUCK/BUS 6300CC 6100CC	56~	DA640 DA120	6	IN	IIS-0158	9-12551-022-0	44.00	10.00	144.00	45°	F	NG
	56~			EX		EIS-5158						
						9-12551-073-0	40.00	10.00	144.00	45°	F	NG
						9-12552-150-0						
						9-12552-035-0						
						9-12552-054-0						
						9-12552-102-0						
TXD10/60 BA343/BR/BB						9-12552-105-0						
TRUCK/BUS 6300CC 6100CC	66~	DA640 DA120	6	IN	IIS-0159	9-12551-071-0	44.00	10.00	143.80	45°	F	NG
	66~			EX		EIS-5159						
						9-12552-151-0	40.00	10.00	144.10	45°	F	NG
						9-12552-121-0						
						9-12552-157-0						
TXD30/70 BA351/BR351/BB351												
TRUCK/BUS 6300CC 6100CC 4000CC	73~	DA640 DA120 DA220 DA640T	6	IN	IIS-0160	1-12551-002-0	45.50	10.00	144.00	45°	F	
	73~			EX		EIS-5160						
	65~					1-12551-008-0	42.00	10.00	144.00	45°	F	2CG
						1-12551-003-0						
						1-12552-001-0						
						1-12552-007-0						
BA/BR/BF TSD/TWE/TXD SFR/BXD						1-12552-003-0						
TRUCK/BUS 6300CC 6100CC	69~	DA640 DA120	6	IN	IIS-0161	9-12551-132-0	44.10	10.00	144.00	45°	F	2CG
	69~			EX		EIS-5161						
						9-12551-125-0	40.10	10.00	144.10	45°	F	2CG
						9-88551-175-0						
						9-12552-217-0						
						9-88511-176-0						
						9-88551-178-0						
						9-12552-169-0						
						9-12552-208-0						
						9-12552-177-0						
TSD/TWD/TXD BXD BA/BF/BR												



ISUZU

VEHICLE MODEL	Year	ENGINE TYPE	CYL No.	IN EX	DOKURO No.	REFERENCE No.	Head Dia.	Stem Dia.	Overall Length	Seat Angle	Head Style	Stem End
TRUCK/BUS 10200CC TD40/90 TP60/70/80	63~	DH100	6	IN	IIS-0162	9-12551-030-0 9-12551-077-0	54.00	12.00	164.00	45°	F	NG
				EX	EIS-5162	9-12552-154-0 9-12552-207-0 9-12552-089-0 9-12552-049-0 9-12552-061-0 9-12552-111-0 9-12552-127-0	48.00	12.00	164.00	45°	F	NG
TRUCK/BUS 10200CC SLR TD/RD/CCH/RH	70~	DH100	6	IN	IIS-0163	9-12551-188-0 9-12551-188-1 9-12551-197-1	54.00	12.00	164.00	45°	F	2CG
				EX	EIS-5163	9-12552-251-0 9-12552-251-1 9-12552-251-2	48.00	12.00	164.00	45°	F	2CG
TRUCK/BUS 9200CC 11000CC 10200CC TD/TDJ BU/CTM	68~ 80~ 80~	D920 E110 6QA1	6	IN	IIS-0164	9-12551-150-0 9-12551-120-0 9-12551-109-0 1-12551-105-0	56.00	12.00	163.00	60°	F	2CG
				EX	EIS-5164	9-12552-254-0 9-12552-198-0 9-12552-168-0 9-12552-262-0 9-12552-262-1/2 9-12552-167-0 9-12552-167-1 9-12552-179-0/1	51.00	12.00	163.00	60°	F	2CG
TRUCK/BUS 12000CC SPG/SPK/SPM/SPR TG/TMK/BU/CPA	73~	E120 6RA1 6RB1	6	IN	IIS-0165	1-12551-004-0 1-12551-025-0	47.00	10.00	164.00	45°	F	CG
					IIS-0177	1-12551-047-0 1-12551-057-0 1-12551-129-0	46.00	11.00	165.40	60°	F	CG
				EX	EIS-5165	1-12552-006-0 1-12552-012-0 1-12552-013-0 1-12552-028-0	45.00	11.00	164.00	45°	F	CG
TRUCK/BUS 12000CC BUK/VPZ	75~	E120	6	IN	IIS-0166	9-12551-192-0 1-12551-010-0	47.00	11.00	164.00	45°	F	2CG
				EX	EIS-5166	9-12552-256-0 1-12552-010-0 9-12552-010-0	45.00	11.00	164.00	45°	F	2CG



ISUZU

VEHICLE MODEL	Year	ENGINE TYPE	CYL No.	IN EX	DOKURO No.	REFERENCE No.	Head Dia.	Stem Dia.	Overall Length	Seat Angle	Head Style	Stem End
TRUCK/BUS 8000CC TRACTOR 10000CC 12000CC SKS/SKW/SVZ/SRG VTR/VTZ/VVR/CXZ/CXM	76~	8 PA 1	8	IN	IIS-0167	1-12551-030-0	48.00	10.00	159.00	45°	F	CG
		10 PA 1	10			1-12551-005-1						
		12 PA 1	12			1-12551-030-1						
		8 PB 1	8	EX	EIS-5167	1-12552-005-0	46.20	10.00	159.00	45°	F	CG
		10 PB 1	10			1-12552-015-0						
		12 PB 1	12			1-12552-015-4						
TRACTOR 16500CC TV30ES/TV30ZE/TV40ZB	70~	V170	8	IN	IIS-0168	9-12551-177-0 9-12551-182-0	49.00	11.00	162.00	60°	F	2CG
				EX	EIS-5168	9-12552-244-0	45.00	11.00	162.00	60°	F	2CG
TRUCK/BUS 4000CC TY20/40/BY30	65~	D400	6	IN	IIS-0169	9-12551-142-0	43.00	9.00	127.80	45°	F	CG
				EX	EIS-5169	9-12552-143-0 9-12552-131-0	35.00	9.00	128.00	45°	F	CG
LUV 1600CC FASTER 1800CC KB 2000CC	80~	G161 G180 G200	4	IN	IIS-0170	8-94217-178-0	40.40	8.00	110.70	45°	ST	NG
				EX	EIS-5170	8-94217-179-0 8-94119-147-0	34.00	8.00	109.20	45°	ST	NG
GEMINI 1800CC ASKA 2000CC WFR 2200CC JJ/WFR/PFD	82~	4 FB 1	4	IN	IIS-0171	8-94216-589-0	38.90	8.00	132.30	45°	F	CG
	82~ 83~	4 FC 1 4 FD 1		EX	EIS-5171	8-94216-590-0 8-94108-307-0	34.00	8.00	132.20	45°	F	CG
JOURNEY 2000CC TROOPER 2200CC ELF 2400CC LUV PAD/UBS/KAD/TLD	71~	C190	4	IN	IIS-0172	5-12551-028-0	40.00	8.00	115.90	45°	F	CG
	79~ 69~	C223 C240		EX	EIS-5172	5-12552-034-0 5-12552-038-0 8-94029-352-0	34.00	8.00	116.00	45°	F	CG
TRUCK 6100CC TWD	56~	DA120	6	IN	IIS-0179	9-12551-001-0	44.00	10.00	140.20	45°	F	RC/PG
				EX	EIS-5179	9-12552-016-0	40.00	10.00	140.00	45°	F	RC/PG
ELF 2000CC TLG	78~	G200	4	IN	IIS-0180	9-12551-045-0	42.00	8.00	115.80	45°	ST	CG
				EX	EIS-5180	9-12552-132-0	34.00	8.00	115.80	45°	F	CG
FARGO 1600CC ASKA 1800CC JJ110/WFR10	81~	4 ZA 1	4	IN	IIS-0183	8-94232-096-0	40.30	8.00	110.70	45°	F	NG
	81~	4 ZB 1		EX	EIS-5183	8-94214-920-0 8-94251-274-0 8-94460-637-0 8-94453-404-0	34.00	8.00	110.20	45°	F	NG




ISUZU

VEHICLE MODEL	Year	ENGINE TYPE	CYL No.	IN EX	DOKURO No.	REFERENCE No.	Head Dia.	Stem Dia.	Overall Length	Seat Angle	Head Style	Stem End
TRUCK 6500CC ETR12/FSR12 LT312/LR312	84~	6BG1	6	IN	IIS-0184	1-12551-081-0 1-12551-063-0 1-12551-082-0 1-12551-083-0 1-12551-139-0	46.00	9.00	127.90	45°	F	CG
				EX	EIS-5184	1-12552-027-0	37.50	9.00	127.80	45°	F	CG
				EX	EIS-5199	1-12552-079-0 1-12552-083-0 1-12552-052-0 1-12552-080-0	37.50	9.00	127.90	45°	F	CG
ASKA IMPULSE TROOPER JJ120	83~	4ZC1 4ZD1	4	IN	IIS-0186	8-94251-275-0 8-94153-969-0	42.30	8.00	110.70	45°	F	NG
				EX	EIS-5186	8-94251-276-0 8-94136-727-0 8-94251-440-0 8-94251-044-0 8-94441-051-0 8-94441-074-0 8-97119-751-0	36.00	8.00	110.20	45°	F	NG
GEMINI I-MARK JT190/LN	85~	4XC1 4XE1 ⑬	4	IN	IIS-0190	8-94250-977-0 8-94151-069-0	36.00	7.00	105.20	45°	F	CG
				EX	EIS-5190	8-94250-978-0 8-94145-949-0	31.00	7.00	105.20	45°	F	CG
ELF 2500CC 2700CC NHR54/55 WHR55/TFR55/TES55	84~	4JA1 4JB1	4	IN	IIS-0192	8-94133-275-1 8-94133-275-0 8-94464-921-0 8-97010-464-0	40.00	8.00	118.20	45°	F	CG
	84~			EX	EIS-5192	8-94247-875-1 8-94133-875-1 8-94433-245-0 8-97010-463-0	35.70	8.00	118.00	45°	F	CG
TROOPER UBS17	88~	4ZE1	4	IN	IIS-0195	8-94447-025-0	44.20	8.00	108.60	45°	ST	NG
				EX	EIS-5195	8-94447-026-0	37.00	8.00	108.20	45°	F	CG
TROOPER 2300CC 2600CC UBS16	86~	4ZD1 4ZE1	4	IN	IIS-0197	8-94174-222-1	44.20	8.00	108.60	45°	ST	NG
				EX	EIS-5197	8-94174-223-1 8-97110-256-0	37.00	8.00	108.20	45°	ST	NG
ELF NKR58	82~	4FA1 4FE1	4	IN	IIS-0198	5-12551-033-2	31.00	8.00	132.40	45°	F	CG
	85~			EX	EIS-5198	5-12552-040-2	26.00	8.00	132.50	45°	F	CG



ISUZU

VEHICLE MODEL	Year	ENGINE TYPE	CYL No.	IN EX	DOKURO No.	REFERENCE No.	Head Dia.	Stem Dia.	Overall Length	Seat Angle	Head Style	Stem End
GEMINI-D 1500CC JT600	86~	4EC1	4	IN	IIS-0200	8-94370-173-1 8-94110-016-0	34.50	7.00	104.10	45°	F	CG
				EX	EIS-5200	8-94110-017-4	30.60	7.00	104.00	45°	F	CG
ELF 3800CC NPR59	86~	4BD1	4	IN	IIS-0203	8-94414-833-1 8-97034-379-0 8-97028-961-0	45.00	9.00	127.70	45°	F	CG
				EX	EIS-5203	8-94333-115-0 8-94414-834-0 8-97028-707-0	37.50	9.00	127.70	45°	F	CG
FARGO 1995CC WFR51	82~	4FB1 4FC1 4FG1	4	IN	IIS-0205	8-94449-047-0	39.00	8.00	134.30	45°	F	CG
				EX	EIS-5205	8-94449-048-0	34.00	8.00	134.60	45°	F	CG
LUV 2500CC KBD23/TFR54	88~	4JA1 4JC1	4	IN	IIS-0208	8-94171-291-0	38.00	8.00	118.80	45°	F	CG
				EX	EIS-5208	8-94171-292-0	32.00	8.00	118.80	45°	F	CG
ELF 4200CC NPR KPT59	89~	4HF1 6HF1 4HK1	4	IN	IIS-0209	8-97033-864-1 8-97033-864-0	50.00	9.00	141.00	45°	F	CG
				EX	EIS-5209	8-97060-415-0 8-97019-337-0 8-97219-509-2 8-97189-114-0	42.00	9.00	140.50	45°	F	CG
TRUCK 8200CC FTR FVR		6HE1 6HH1	6	IN	IIS-0211	8-94394-160-1 8-94394-160-2	51.00	9.00	141.00	45°	F	CG
				EX	EIS-5211	8-94395-462-0	42.00	9.00	140.80	45°	F	CG
TRUCK 8200CC FTR FVR	92~	6SA1	6	IN	IIS-0210	1-12551-111-0 1-12551-111-1 1-12551-111-2	49.00	10.00	134.00	60°	F	CG
TRUCK 9800CC FVR23D	90~	6SA1 6SD1	6	IN	IIS-0212	1-12551-089-0	48.00	10.00	132.00	45°	F	CG
				IN	IIS-0216	1-12551-158-0	50.00	10.00	132.00	45°	F	CG
				EX	EIS-5212	1-12552-085-0 1-12552-108-0 1-12552-063-0	46.10	10.00	132.00	45°	F	CG
FARGO LUV		4FE1 4FA1	4	IN	IIS-0213	8-94178-102-2	31.00	8.00	134.50	45°	F	CG
				EX	EIS-5213	8-94410-960-2	26.00	8.00	134.30	45°	F	CG
TROOPER V6 3200CC DOHC UBS25	91~	6VD1 	6	IN	IIS-0214	8-97027-499-1 8-97027-092-0	34.00	6.00	114.00	45°	ST	CG
				EX	EIS-5214	8-97014-174-0	30.00	6.00	99.50	45°	ST	CG



ISUZU

VEHICLE MODEL	Year	ENGINE TYPE	CYL No.	IN EX	DOKURO No.	REFERENCE No.	Head Dia.	Stem Dia.	Overall Length	Seat Angle	Head Style	Stem End
TRUCK 9800CC	90~	6SA1	6	IN	IIS-0202	1-12551-092-0	49.00	10.00	134.00	60°	F	CG
				EX	EIS-5202	1-12552-136-0 1-12552-050-0	46.00	10.00	132.00	45°	F	CG
TRUCK 17000CC CXH/CXM CXZ	89~	10PD1	10	IN	IIS-0215	1-12551-136-0	50.00	10.00	159.20	45°	F	CG
				EX	EIS-5215	1-12552-097-0 1-12552-064-0	46.10	10.00	159.20	45°	F	CG
TROOPER SOHC	91~	6VD1 (24)	V6	IN	IIS-0217	8-97015-546-2	34.00	6.00	99.10	45°	ST	CG
					IIS-0218	8-97169-807-0	34.00	6.00	104.00	45°	ST	CG
				EX	EIS-5217	8-97015-547-1	30.00	6.00	100.60	45°	ST	CG
					EIS-5218	8-97169-808-0	29.00	6.00	103.50	45°	ST	CG
TROOPER D-MAX	91~	4JG2	4	IN	IIS-0219	8-97131-729-0	42.20	8.00	117.60	45°	F	CG
				EX	EIS-5219	8-97043-861-1	35.70	8.00	117.00	45°	F	CG
TROOPER 3500CC	98~	6VE1 (24)	V6	IN	IIS-0222	8-97131-961-0	34.00	6.00	103.70	45°	ST	CG
				EX	EIS-5222	8-97131-962-0	29.00	6.00	103.60	45°	ST	CG
BIGHORN WIZARD MU DIESEL TURBO	91~	4JG2 4JH1	4	IN	IIS-0221	8-94363-134-0	42.00	8.00	118.50	45°	ST	CG
				EX	EIS-5220	8-97118-767-0	35.80	8.00	117.60	45°	ST	CG
D-MAX PICK UP	00~	22LE (C22NE)	4	IN	IIS-0224	8-90220-121-0	41.80	7.00	103.80	45°	ST	CG
				EX	EIS-5224	8-90323-757-0	36.50	7.00	103.50	45°	ST	CG
NPR TRUCK TURBO	93~	6HE1 4HE1	4 6	IN	IIS-0223	8-94395-113-1	46.50	9.00	141.00	60°	F	CG
				EX	EIS-5211	8-94395-462-0	42.00	9.00	140.80	45°	F	CG
TRUCK	00~	6SD1	6	IN	IIS-0225	1-12551-126-1	51.00	10.00	133.50	60°	F	CG
				EX	EIS-5212	1-12552-085-0 1-12552-108-0 1-12552-063-0	46.10	10.00	132.00	45°	F	CG
NPR NKR	95~	4HF1 4HG1 6HH1	4 6	IN	IIS-0226	8-97171-398-0	51.00	9.00	141.00	45°	F	CG
				EX	EIS-5226	8-97171-399-0	42.00	9.00	140.60	45°	F	CG
MU WIZARD BIGHORN TROOPER	98~	4JX1T	4	IN	IIS-0227	8-97137-154-0	33.00	7.00	98.20	45°	F	CG
				EX	EIS-5227	8-97137-155-0	33.00	7.00	98.15	45°	F	CG
GIGA CV/CX/CY	92~	6WA1	6	IN	IIS-0228	1-12551-145-4	43.10	10.00	187.70	60°	F	CG
					EIS-5228	1-12552-095-0	41.05	10.00	187.70	45°	F	CG
				EX	EIS-5229	1-12552-102-1	42.00	10.00	187.75	45°	F	CG

